### **PATENT APPLICATION**

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

re the Application of

Tomojiro SUGIMOTO et al.

Group Art Unit: 3746

Application No.: 10/826,355

Filed: April 19, 2004

Docket No.: 119492

For:

**FUEL INJECTION VALVE** 

#### **INFORMATION DISCLOSURE STATEMENT**

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Pursuant to 37 CFR §1.56, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached PTO-1449. Unless otherwise indicated herein, one copy of each reference is attached. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

- $\boxtimes$ This Information Disclosure Statement is being filed (a) within three months of 1. the U.S. filing date of this non-CPA application, OR (b) before the mailing date of a first Office Action on the merits in the present application. No certification or fee is required.
- X Relevance of the non-English language reference 1 is discussed in the present 2. specification.
- 冈 A brief explanation of the relevance of the non-English language references 1-4 appears in the Appendix attached hereto.
- $\boxtimes$ English-language Abstracts of the non-English language references 1, 2 and 4 are attached hereto.

5. A computer-generated English translation of the following Japanese references has been obtained from the website of the Japanese Patent Office ([http://www.jpo.go.jp]), and is attached, but has not been reviewed for accuracy. See References 1-2.

Respectfully submitted,

ames A. Oliff

Registration No. 27,075

Joel S. Armstrong Registration No. 36,430

JAO:JSA/cqc

Date: July 19, 2004

OLIFF & BERRIDGE, PLC P.O. Box 19928 Alexandria, Virginia 22320 Telephone: (703) 836-6400 DEPOSIT ACCOUNT USE
AUTHORIZATION
Please grant any extension
necessary for entry;
Charge any fee due to our
Deposit Account No. 15-0461

# Information List (Form 1)

US Serial No.	
Our Ref.	TYT, ND, NJ-P008-US

The following is a List of References provided by Applicant. Please file an Information Disclosure Statement using this Information.

			Priof Evplanation or			
			Brief Explanation or			
Document Number	Publication	Date	Page(s) & Line(s) of			
			Related Part(s)			
Japanese Patent	February 4,	1997	After passing through a			
Publication			seal portion 21, fuel			
(Kokai)			flows inwardly and			
No. 9-32695			downwardly. Then fuel			
1.00			smoothly guided to flow			
			laterally inwardly			
			between a bottom			
			surface 25 of needle			
			valve 2 and an upstream			
	,		<u> </u>			
			surface 31 of a metering			
			plate 3. Then, fuel			
			spray out through nozzle			
			holes 4 formed in the			
,			metering plate 3.			
			Please refer attached			
			official abstract.			
Japanese	February 2,	1985	A vortex plate 10 is			
Utility Model			attached to a downstream			
Publication			surface of a valve sheet			
(Kokai)			member 6. The vortex			
No. 60-15968			plate 10 has vortex			
•			generator holes 10a. The			
			vortex generator			
			holes 10a are arranged as			
			shown in figure 3. The			
			cross section of the			
			vortex generator hole 10a			
			is shown in figure 4. As			
			shown in figure 4, the			
			cross sectional area of			
			the vortex hole 10a at			
			1 1			
			upstream side is greater			
			than that at downstream			
			side. A pressure			
			plate 11 is attached to			
			downstream surface of the			
			vortex plate 10. The			
		А	. AOKI, ISHIDA & ASSOCIATES			

## Information List (Form 1)

US Serial No.	
Our Ref.	TYT, ND, NJ-P008-US

The following is a List of References provided by Applicant. Please file an Information Disclosure Statement using this Information.

Document Number	Publication	Date	Brief Explanation or Page(s) & Line(s) of Related Part(s)
			pressure plate 11 has a large circular hole at a center portion thereof. An orifice plate 12 is attached to a downstream surface of the orifice plate 12. The orifice plate 12 has orifices 12a.
Japanese Patent Publication (Kokai) No. 8-296532	November 12,	1996	An annular groove 65 is formed at a top end surface of a needle 25. The main stream of fuel flows along the outer spherical surface 64 so as to be drawn to the annular groove 65.  Please refer attached official abstract.
,			

# List of Prior Art (Form 2)

This Form 2 lists the patent family members related to the document(s) cited in Form 1.

Document(s) cited in Form 1	Patent family member(s)	Publication date
Japanese Patent Publication (Kokai) No. 9-32695	DE 196 29 755 C2	December 3, 1998
	·	

JUL 1 9 2004 E

Sheet <u>1</u> of <u>1</u>

Form PTO-1449 (REV. 8-83)		US Dept. of Commerce PATENT & TRADEMARK OFFICE	ATTY DO	ATTY DOCKET NO. 119492		APPLICATION NO. 10/826,355		
INFORMATION DISCLOSURE STATEMENT								
(Use several sheets if necessary)			APPLICANTS Tomojiro SUGIMOTO et al.					
			FILING I April 19,		GROUP 3746			
		U.S. F	PATENT DOCU	MENTS			_	
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	3	CLASS CLAS		
					<del></del>			
	:							
					····			
							<del> </del>	
		FOREIG	N PATENT DO	CUMENTS		-1		
		DOCUMENT NUMBER	DATE	COUNTR	RY	CLASS	SUB CLASS	
	1)	JP A 9-32695 w/ abst. & trans	02/04/1997	JAPAN				
	2)	JP A 8-296532 w/ abst. & trans	11/12/1996	JAPAN				
	3)		02/02/1985	JAPAN				
	4)	DE 196 29 755 C2 w/ abstract	12/03/1998	GERMANY	·	<u>  ·                                     </u>		
		OTHER DOCUMENTS (Incl	luding Author.	litle. Date. Pertinent Page	s. etc.)			
				,				
	-					- <b></b>		
							<u></u>	
			· · · · · · · · · · · · · · · · · · ·	<del></del>				
EXAMINER					DATE CONSIL	DERED		
		citation considered, whether or not cita				hrough citation	on if not in	

Date: July 19, 2004